

(19)



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 1 343 125 A2

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
10.09.2003 Bulletin 2003/37

(51) Int Cl.7: G07F 17/32

(21) Application number 03290528.3

(22) Date of filing 05.03.2003

(84) Designated Contracting States:
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR
HU IE IT LI LU MC NL PT RO SE SI SK TR
Designated Extension States:
AL LT LV MK RO

(72) Inventor: Rothchild, Wayne H.
Northbrook, Illinois 60062 (US)

(74) Representative: Loisel, Bertrand
Cabinet Plasseraud,
84, rue d'Amsterdam
75440 Paris Cédex 09 (FR)


(30) Priority: 06.03.2002 US 92072

(71) Applicant: WMS Gaming Inc
Waukegan, Illinois 60085 (US)

(54) Integration of casino gaming and non-casino interactive gaming

(57) A web-based system for integrating casino gaming with non-casino interactive gaming comprises a central server system, a plurality of player-operated gaming machines, and a player-operating computing device. The central server system offers a plurality of wagering games. The gaming machines are located in a land-based casino and linked to the central server system by a reconfigurable, multi-site computer network such as an intranet. The computing device is remote

from any land-based casino and linked to the central server system by the Internet. The wagering games may be conducted via either the gaming machines or the computing device. In one embodiment, each wagering game is offered in two distinct versions: basic and enhanced. The basic version is played over the network using JavaScript or other language. The enhanced version includes upgraded audiovisual content that is downloaded to and stored locally on the machine or computing device used to conduct the wagering game.



Description

FIELD OF THE INVENTION

[0001] The present invention relates generally to gaming machines and, more particularly, to a method, system, and gaming machine for efficiently integrating a player's casino gaming experience with the player's non-casino, interactive (i.e., "online") gaming experience.

BACKGROUND OF THE INVENTION

[0002] Gaming machines have been a cornerstone of the gaming industry for several years. They are operable to play such wagering games as mechanical or video slots, poker, bingo, keno, and blackjack. A typical gaming machine is cluttered with numerous hardware and software components for implementing such functions as game software execution, currency handling, player tracking, ticket reading and printing, and communicating with a back-of-house computer system. The numerous hardware and software components add significantly to the cost of manufacture (and therefore the selling price), complexity, and amount of maintenance and servicing required by the gaming machine in the field. Accordingly, one aspect of the present invention is directed toward a gaming machine that is cost-effective and easy to manufacture and requires less maintenance and servicing in the field.

[0003] Many gaming players want to be able to play gaming machines much more frequently than they are currently able to do. Such players are often limited because of the requisite travel required to attend casinos or other legal gaming establishments. The involvement, cost, and inconvenience of a player being forced to travel to a casino severely limits the amount of gambling excursions that a player can assume. Furthermore, since these excursions are infrequent, a gaming player is often forced to spend as much time gambling as possible during the excursion because such a player may not have the means to return to the casino for several months or years. There is continuing need for a gaming player to be able to gamble more frequently or for a shorter period time than is currently available and to be able to do so from a location remote from the casino.

[0004] Toward that end, interactive or "online" gaming allows a player to gamble from a location, such as a residence, remote from the casino. The player may access a gaming web site on a global computer network, such as the Internet, from a computing device coupled to the global computer network. The computing device may, for example, be a personal computer, Internet appliance, personal digital assistant, or wireless telephone. To play a wagering game on the gaming web site, a player generally must supply credit or debit card account information. Wagers are deducted from the account, and

payouts for winning outcomes are added to the account.

[0005] Interactive gaming is one of the most rapidly growing industries in the world. Although many jurisdictions prohibit interactive gaming, it is expected that such jurisdictions will ultimately legalize interactive gaming under detailed regulations. Also, despite the prohibition against interactive gaming, the global computer network includes countless gaming sites generally hosted by companies with minimal brand name recognition. These gaming sites are operational and generate substantial annual revenues.

[0006] It is believed that when interactive gaming is legalized, casinos with widespread brand name recognition will be positioned to capitalize on the interactive gaming market because players will be eager to wager with trustworthy brands. Casinos with the strongest brands will receive greater online patronage at their gaming web sites than gaming web sites hosted by less recognized companies. It is believed that casinos will want to maximize their relationship with players by integrating a player's casino gaming experience with the player's interactive gaming experience. Accordingly, another aspect of the present invention is directed toward a method, system, and gaming machine for efficiently achieving this integration.

SUMMARY OF THE INVENTION

[0007] In accordance with the present invention, a web-based system for integrating casino gaming with non-casino interactive gaming comprises a central server system, a plurality of player-operated gaming machines, and a player-operating computing device. The central server system offers a plurality of wagering games. The gaming machines are located in a land-based casino and linked to the central server system by a reconfigurable, multi-site computer network such as an intranet. The computing device is remote from any land-based casino and linked to the central server system by the Internet. The wagering games may be conducted via either the gaming machines or the computing device. In one embodiment, each wagering game is offered in two distinct versions: basic and enhanced. On the one hand, the basic version is played over the network using JavaScript or other language. On the other hand, the enhanced version includes upgraded audiovisual content that is downloaded to and stored locally on the machine or computing device used to conduct the wagering game.

BRIEF DESCRIPTION OF THE DRAWINGS

[0008] The foregoing and other advantages of the invention will become apparent upon reading the following detailed description and upon reference to the drawings.

[0009] FIG. 1 is a block diagram of a system and method for integrating casino gaming with non-casino interactive gaming in accordance with the present in-

vention.

[0010] FIG. 2 is a block diagram of a casino floor layout including both non-currency-enabled gaming machines and currency-enabled gaming machines arranged in a plurality of banks.

[0011] FIG. 3 is a block diagram of a prior art casino floor layout including typical coin-in/bill-in/coin-out (CBI-CO) gaming machines arranged in a plurality of banks.

[0012] While the invention is susceptible to various modifications and alternative forms, specific embodiments have been shown by way of example in the drawings and will be described in detail herein. It should be understood, however, that the invention is not intended to be limited to the particular forms disclosed. Rather, the invention is to cover all modifications, equivalents, and alternatives falling within the spirit and scope of the invention as defined by the appended claims.

DESCRIPTION OF ILLUSTRATIVE EMBODIMENTS

[0013] To provide some background, interactive or "online" gaming (gambling) occurs on a global computer network. Starting in the 1990's, global computer networks such as the Internet became increasingly popular outlets. The Internet is a global communications network built on worldwide data and telephone networks. Computers connected to the Internet can exchange information with any other connected computer. The backbone of the Internet is founded on various sets of major telephone conduits and switches that exist across the world. These communications conduits are designed to move large volumes of data traffic at extremely high rates of speed.

[0014] Each of the major conduits referred to above terminates at a router, which is a large, fast switch that sorts the large volumes of data. Each router is connected to additional, local routing devices. Local routing devices, called "points of presence", provide local Internet access. For example, an Internet termination router located in Chicago may have point-of-presence routers connected in, for example, Milwaukee and Indianapolis. A router is able to connect as many point-of-presence routers as the capacity of the switching systems and the Internet will permit.

[0015] In addition to point-of-presence routers, commercial Internet exchanges and global Internet exchanges also connect to the routers. These exchanges transfer data between Internet service providers, both nationally and internationally. When data originates on one U.S. Internet service provider with a destination on another U.S. long distance provider, the data is first routed to the commercial Internet exchange where it makes the transfer between providers.

[0016] Personal computers typically connect to a local point-of-presence router through a local Internet carrier. A local Internet carrier obtains a direct line to the point-of-presence router and provides a modem or other connection by which a personal computer user achieves In-

ternet access. When the personal computer connects to the modem of the local Internet carrier, the local Internet carrier switches the home computer to the point-of-presence router, which in turn connects the personal computer to the Internet.

[0017] Another method of connecting computers to the Internet is by direct connection through a local area network (LAN) to the point of presence. Multiple personal computers can be connected to a single LAN, which connects to the point of presence through a leased data line. The computers connected to the LAN receive and transmit data to the point of presence through the LAN.

[0018] Attached to most LANs are a variety of different servers including the File Server and the Hypertext Transport Protocol ("HTTP") server. The File Server connects to the LAN and contains the common data files used by the personal computers, the LAN and other servers. An HTTP server is a particular type of server that processes incoming and outgoing data written according to a certain Internet communication protocol, called hypertext transport protocol.

[0019] As described above, the Internet is able to interconnect every computer on the Internet with every other computer on the Internet. An Internet site typically includes certain data files (called "web pages" that are a part of the World Wide Web) in its File Server. The Internet site HTTP server makes those pages available to other computers on the Internet. An HTTP Server that makes World Wide Web pages available on the Internet usually includes a so-called "home page," the starting point for outside users to navigate through the underlying World Wide Web pages serviced by the HTTP Server. These World Wide Web pages are written in a special World Wide Web language called Hypertext Markup Language ("HTML"). When a personal computer user wants to view a home page, it can do so by requesting that data over the Internet. In response, the requisite LAN retrieves the web page data from its File Server and instructs its HTTP Server to transmit the data, addressed via the Internet, to the personal computer that requested the information. The data generally travels from the local leased link to the point-of-presence router near the location of the LAN, through the Internet, through the point-of-presence router near the requesting personal computer, through the local Internet carrier, and into the modem of the requesting personal computer.

[0020] Transmission Control Protocol/Internet Protocol ("TCP/IP") controls transmission of data on the Internet to provide World Wide Web communication to users. To insure that data is sent to and received by the appropriate receiver on the Internet, every device communicating on the Internet is assigned a unique address called an Internet Protocol ("IP") address. Elements of the IP address identify the location in the network that a device is connected. Other parts of the IP address identify the specific device. The IP address number has a three-digit element that identifies the state of the res-

ident and an additional seven digits, three of which identify the local exchange of the resident and four digits that specifically identify the home of the resident. The IP address is presently a thirty-two bit binary address, readily processed by computers, but cumbersome for use by human users. Consequently, the majority of IP addresses are assigned mnemonics to make them more "user friendly." The mnemonic consists of two parts: a host name and a domain name. It is this representation of the IP address that is commonly used by Internet users to access Web sites. Conventionally within the World Wide Web, the mnemonic "www" is used to represent the host name. The remaining portion of the mnemonic represents the domain or network where the host resides. For example, www.uspto.gov, identifies a host named "www" in the domain (network) "uspto.gov".

[0021] The standard protocol used by Internet components to address each other and usually is used as a Uniform Resource Locator ("URL"). This terminology appears as the opening element in the web site address. For example, <http://www.uspto.gov>, the Uniform Resource Locator indicates that the request is for "http" formatted data (i.e., a web page as opposed to, for example, an electronic mail message). The home page for the data resides on the "www" HTTP server on the "uspto.gov" LAN (or domain). The name of the file (to be found most likely in the file server supported by the uspto.gov LAN) is "homepage.html."

[0022] Once a user has received an "HTML" formatted file corresponding to a web page, the text of the displayed file may prompt the user to request additional information contained in different web page files. The prompts are referred to as "hypertext" and usually show up on a home page (or other web page) in a different color than normal text, thus distinguishing them as hypertext links. Hypertext links (also called "hyperlinks") in a document allow a reader to jump from one object to another object within the document and to objects outside of the document. Hyperlinks between documents create an informational space with no formal pathways. Hyperlinks may include any kind of hypertext or other hypermedia link connecting one HTML page to another HTML page in the currently displayed web site, or in some external web site. HTML is the computer language used to "compose" and represent information on a web page. By clicking a mouse on the hypertext, the user is automatically "transported" from a current web page to a new web page linked to that hypertext.

[0023] For example, the master list server sends the request to a Domain Name Server ("DNS") responsible for handling calls to this address. If the DNS recognizes the call, then an affirmation is sent to the master list server that directs the call to the server storing the particular home page. When the hypertext is selected, the browser requests a connection to the HTTP server hosting the file and it also requests from the HTTP server the file identified by the URL address. If the HTTP server accepts the connection requested by the browser, the HT-

TP server proceeds to transmit the requested file back to the browser. Once the browser receives the requested file, it delivers or presents the content of the file to the requesting user.

[0024] One of the most popular mediums for browsing the Internet is the World Wide Web. The World Wide Web is a client/server application that helps the user access various HTML pages available at various Internet sites. Its function is to display documents and to make links between items of information available. The user then chooses which links to follow as the user pursues a course through various World Wide Web pages. An Internet World Wide Web site refers to an entity connected to the Internet that supports World Wide Web communications and/or World Wide Web files. A typical web site will include an HTTP server and one or more HTML pages (sometimes referred to as World Wide Web pages).

[0025] A web site is usually configured to include a home page and a plurality of HTML pages that may each contain one or more hyperlinks. As a user clicks on one hyperlink in the home page, the user is transported to another HTML page. Further pages may have, for example, a hyperlink that returns the user to the home page or a hyperlink that forwards the user to a subsequent page.

[0026] Turning now to the drawings, FIG. 1 depicts a web-based system for integrating casino gaming with non-casino interactive gaming in accordance with the present invention. The system includes a central server system 10, a plurality of player-operated gaming machines 12, and a plurality of player-operated computing devices 14. The central server system 10 may include the local casino servers 10a, the casino web server 10b, and/or the casino corporate server 10c. The central server system 10 offers a plurality of wagering games in such categories as slots, poker, bingo, keno, and blackjack. The gaming machines 12 are located in one or more land-based casinos and linked to the central server system 10 by a reconfigurable, multi-site computer network such as an intranet. The computing devices 14 are remote from any land-based casino and, with proper authorization, linked to the central server system 10 by the Internet. The wagering games may be conducted via either the gaming machines 12 or the computing devices 14.

[0027] Thus, the system in FIG. 1 is preferably a web-based system utilizing an intranet and the Internet. An intranet is a network based on TCP/IP (Transmission Control Protocol/Internet Protocol) protocols belonging to an organization, usually a corporation, accessible only by the organization's members, employees, or others with authorization. In the illustrated system, the intranet is used to securely network the gaming machines 12 to each other and the central server system 10. The casino web server 10b operates the intranet's web site and posts the plurality of wagering games on the web site. The web site looks and acts just like any other web sites,

but a firewall surrounding the intranet fends off unauthorized access. With proper authorization, non-casino-based computing devices 14 may access the intranet via the Internet and therefore be linked to the central server system 10 and even the gaming machines 12 if necessary. By opening the intranet operating in the land-based casinos to the non-casino-based computing devices 14, players can play the same wagering games at the casino and away from the casino. Therefore, casinos can have one central slot tracking system and one central data repository, e.g., at a corporate headquarters 30, for all land-based and cyberspace operations.

[0028] A wagering game is generally conducted by receiving a wager from a player, generating a random event, and providing an award to the player for a winning outcome of the random event. The term "random" as used herein is intended to encompass both a truly random event and a pseudo-random event. A wagering game includes audiovisual content and game software (i.e., decision logic) for generating the random event. The audiovisual content includes sounds, images, and animations. The game software includes a random number generator (RNG) and game play routines directing the sequence of play of the wagering game.

[0029] When a wagering game is conducted via a gaming machine 12, the wagering game may be conducted at a central server level, a machine level, or a hybrid server/machine level depending upon how the machine and the system are set up. When the wagering game is conducted at the server level, the game's audiovisual content and game software are executed at the central server system 10 by, for example, the local casino server 10a in the same casino as the gaming machine 12. In this case, the gaming machine 12 may be free of a game engine for executing the game software and primarily serve as a display terminal. When the wagering game is conducted at the machine level, the audiovisual content and game software are executed at the gaming machine 12. To allow the gaming machine 12 to execute the audiovisual content and game software, this information is downloaded from the central server system 10 to the gaming machine 12 and stored locally on the gaming machine prior to conducting the wagering game. When the wagering game is conducted at the hybrid server/machine level, the audiovisual content is executed at the gaming machine 12 while the game software is executed at the central server system 10. To allow the gaming machine 12 to execute the audiovisual content, the audiovisual content is downloaded from the central server system 10 to the gaming machine 12 and stored locally on the gaming machine prior to conducting the wagering game.

[0030] When a wagering game is conducted via a computing device 14, the wagering game may be conducted at a central server level or a hybrid server/device level depending upon how the device and the system are set up. When the wagering game is conducted at the server level, the game's audiovisual content and

game software are executed at the central server system 10 preferably by the casino web server 10b. When the wagering game is conducted at the hybrid server/device level, the audiovisual content is executed at the computing device 14 while the game software is executed at the central server system 10. To allow the computing device 14 to execute the audiovisual content, the audiovisual content is downloaded from the central server system 10 to the computing device 14 and stored locally on the computing device prior to conducting the wagering game. In order to make wagering games conducted via a computing device 14 verifiable, the random event must be generated at the central server system 10. Therefore, a wagering game may not be conducted solely at a device level.

[0031] In one embodiment, each wagering game is offered in two distinct versions: basic and enhanced. On the one hand, the basic version is conducted at the server level such that it is played over the network using JavaScript or other open or proprietary language. The basic version allows a player to quickly sample a wagering game. On the other hand, the enhanced version includes upgraded audiovisual content that is downloaded from the central server system 10 to the machine or computing device used to conduct the wagering game. Instead of downloading the upgraded audiovisual content from the central server system 10, such content may be distributed to the appropriate machine or computing device from other storage media (EPROM, CD-ROM, hard disk, etc.) that are either installed directly in the machine or device or are linked to the machine or device for downloading the content thereto. The upgraded audiovisual content is stored locally on that machine or computing device. The enhanced version treats the player with a more exciting and entertaining multimedia experience than the basic version. When the enhanced version is conducted via a gaming machine 12, the enhanced version may be conducted at either the machine level or the hybrid server/machine level. When the enhanced version is conducted via a computing device 14, the enhanced version may be conducted at the hybrid server/device level.

[0032] The central server system 10 may include the local casino servers 10a, the casino web server 10b, and/or the casino corporate server 10c. Each server includes a microprocessor, a clock, and an operating system associated therewith. The microprocessor executes instructions from its read only memory (ROM) and, during such execution, the microprocessor temporarily stores and accesses information from a random access memory (RAM).

[0033] In one embodiment, the local casino server 10a is responsible for accumulating and consolidating data generated from casino-based gaming and transmitting such data between the casino corporate server 10c and the gaming machines 12 in the same casino as the server 10a. When a wagering game is conducted via a gaming machine 12 at a server level or a hybrid

server/machine level, the local casino server 10a is also responsible for executing all or a portion of the wagering game. The casino web server 10b is responsible for accumulating and consolidating data generated from non-casino-based gaming and transmitting such data between the casino corporate server 10c and the computing devices 14. The casino web server 10b is also responsible for executing all or a portion of a wagering game conducted via a computing device 14.

[0034] In another embodiment, the local casino servers 10a merely serve as pass-through components. The casino web server 10b is responsible for accumulating and consolidating data generated from both casino-based gaming and non-casino-based gaming and transmitting such data between the casino corporate server 10c and both the gaming machines 12 and the computing devices 14.

[0035] The gaming machines 12 are networked to each other and the central server system 10 by the intranet. The gaming machines 12 in each land-based casino are linked by a high-speed local area network, such as a wireless or wired Ethernet. Each local area network supports standard Internet protocols, such as TCP/IP, for transmitting data over the local area network and transmitting data between the local area network and the central server system 10. Each local area network may include the local casino server 10a, a casino floor communications hub 16, and a workstation 18. The local casino server 10a may include a gateway that serves as an entrance to the local area network. The gateway is associated with a router, which knows where to direct a given packet of data that arrives at the gateway, and a switch, which furnishes the actual path in and out of the gateway for a given packet. The casino floor communications hub 16 consolidates data transferred to and from the gaming machines 12. The workstation 18 may be used to program, control, and monitor the gaming machines 12 at the local casino level.

[0036] Each gaming machine 12 has the appearance of a typical upright or slant-top video gaming machine. The gaming machine 12 includes a cabinet and at least one video display mounted within the cabinet. The cabinet is situated on either a floor of the casino or a stand resting on the floor. A player may operate the gaming machine 12 via either physical button panel below the video display or a touch screen overlying the video display. To help differentiate the casino-based gaming machines 12 from the non-casino-based computing devices 14, the gaming machines 12 couple the genuine feel of a typical gaming machine with large display screens, excellent graphics, hi-fidelity sound, and other physical attributes.

[0037] The computing devices 14 may, for example, include a personal computer (portable or desktop), Internet appliance, personal digital assistant, wireless telephone, and pager. Depending upon the device, the computing devices 14 may be used at home, in a hotel room, or while traveling. The computing devices 14 are

remote from any land-based casino, although they may be used in a hotel room, by the pool, in the fitness room, or in some other facility of a hotel containing a casino. Each computing device 14 preferably includes a central processing unit (CPU) and various peripherals linked to the CPU. If the computing device 14 is a personal computer, for example, the peripherals may include a video display, a keyboard, a mouse, and a touch screen overlying the video display. The CPU executes instructions from its read only memory (ROM) and, during such execution, the CPU temporarily stores and accesses information from a random access memory (RAM). If a computing device 14 is to access the above-noted intranet via the Internet, the computing device 14 must initially access the Internet through an Internet Service Provider (ISP) 20 (also known as Internet Access Provider (IAP)) and communicate with the Internet using standard Internet protocols such as TCP/IP.

[0038] One or more security measures protect the intranet from unauthorized access. Therefore, after accessing the Internet, the computing device 14 must circumvent these security measures to access the intranet and, more specifically, the gaming web site operated by the casino web server 10b. One security measure may require the computing device 14 to be equipped with a proper hardware or software security key enabling the computing device 14 to access the intranet and the gaming web site. The security key may be linked to a global positioning system to enable the location of the computing device 14 to be tracked for tax and legality purposes. To access the gaming web site, a player enters the host name and the domain name for the web site in the address field of the web browser used by the player to navigate the Internet. Another security measure may require a player to log into the "secure" gaming web site using such login information as a user name and password that are previously registered (see below) with the casino that operates the web site. Without the correct login information, the player is denied access to all but the login page(s) of the gaming web site or, alternatively, is denied access to only those portions of the web site involving wagering.

[0039] The registration procedure may require the player to open a record or "house" account at a registration facility of the casino. The player's account is stored in a database at the corporate headquarters 30 and/or the casino web server 10b. During the registration procedure, the casino may require the player to submit various types of information to be stored in the player's account, including name, date of birth, social security number, address, telephone number(s), credit card type, number and expiration date, and other requisite information. Additional optional fields may include player tracking information, player preferences, and server preferences (described below). The casino preferably requires the player to verify his or her identity with one or more commonly accepted forms of identification, such as a driver's license, passport, social security card,

etc. The login information for logging into the gaming web site may be selected by the casino or the player and then stored in the player's account. The casino provides the registered player with the hardware or software security key to install on the player's computing device 14 to enable the computing device to access the intranet. The casino may limit the registered player to a single security key for installation on a single computing device 14 or, if requested by the player, may provide the player with multiple security keys for installation on multiple computing devices 14.

[0040] Once a computing device 14 is granted full access to the gaming web site operated by the casino web server 10b, the player may proceed to play the wagering games available on the web site. The web site may identify numerous gaming categories and present such categories with hyperlinks. The categories may, for example, include slots, poker, bingo, keno, and blackjack. Under each category, the web site may identify specific wagering games available for play and may allow a player to commence play of such games with respective hyperlinks. The slots category may, for example, include a library of slot games.

[0041] The gaming web site may be set up to accept wagers by electronic funds transfer (EFT) from one or more monetary sources. One monetary source may be a credit card, in which case the player must provide the casino web server 10b with credit card information (e.g., credit card type, number, and expiration date) either during the registration procedure (see above) or upon login to the gaming web site. Another monetary source may be money stored in the player's house account, in which case the player must deposit money into the house account or arrange for a line of credit in the house account during the registration procedure. The casino web server 10b deducts wagers from the monetary source and adds payoffs for winning game outcomes to the monetary source.

[0042] The corporate headquarters 30 includes a corporate casino computer 34, the casino corporate server 10c, a trend analysis computer 36, a database manager 38, and various databases 40a-f. The corporate casino computer 34 may be used to program, control, and monitor the gaming machines 12 and the computing devices 14 at the corporate level and view the data accumulated in the various databases 40a-f. The casino corporate server 10c is linked to the intranet for transferring data to and from the intranet.

[0043] The database manager 38 manages data acquired from the intranet by the casino corporate server 10c and routes the acquired data for storage in the appropriate databases 40a-f. The game library database 40a stores a plurality of wagering games. The corporate casino computer 34 may cause the database manager 38 to selectively access the wagering games in the game library database 40a and download the selected games to the local casino servers 10a and/or the casino web server 10b. The local casino servers 10a may, in

turn, download a portion or all of each selected game to some or all of the gaming machines 12 in their respective casinos. The wagering games selected for download and the locations to where the games are downloaded may be based on trends established by running alternate regressions in the trend analysis computer 36. The financial accounting database 40b stores general financial accounting information.

[0044] The player account database 40c includes multiple records or "house accounts" each having multiple fields of information related to the identification of each player. The fields within each account may, for example, include name, date of birth, social security number, address, telephone number(s), credit card type, number and expiration date, and other requisite information. Additional optional fields may include player tracking information, player preferences, and server preferences. Based on the player tracking information, player preferences, and server preferences in a player's account, the central server system 10 may adapt or configure the displayed menu(s) of selectable games and the wagering games themselves based on the player.

[0045] The player tracking information may include such game play data as an identification of last ten machines played, titles of the games played, and jackpots and other prizes won by the player. For each denomination (e.g., nickel, dime, quarter, half-dollar, dollar, etc.), the game play data may include data fields for the number of credits played, the number of credits paid out, the number of games played, and the time of play in minutes. Of course, the amount and types of data stored in the player's account may be varied to suit a particular casino. Based on the player tracking information in the player's account, the central server system 10 may compute bonuses and other rewards to be awarded to the player when playing a wagering game via a gaming machine 12 or a computing device 14.

[0046] The player preferences generally relate to the values of those parameters that players have selected in establishing their preferred game configuration. The player preferences may include the preferred games (game type), the preferred default game configuration (language, sound options, denomination, speed of reel spins, number of pay lines played, number of credits played per pay line per reel spin), and the preferred distribution of awards (payout structure, payout options, form of complimentaries, denomination).

[0047] The server preferences reflect certain parameters that the central server system 10 can adjust according to certain criteria, such as skill level or playing frequency, to maintain the interest of its players. The server preferences may include hold percentage, complimentary award rate, complimentary award limits, game eligibility (lockout), and other information. Hold percentage indicates a range of hold percentages, such as high, medium, and low.

[0048] The progressive jackpot database 40d may, for example, indicate how many progressive jackpots are

operating, where the jackpots are operating, how much money is in each operating jackpot, what jackpots were paid out, and when the jackpots were paid out. The slot accounting database 40e includes accounting meters for credits in, credits out, credits played, credits won, games played, etc. for each of the wagering games. The database 40e may also identify the gaming machine 12 or computing device 14 used to generate the meter data. The accounting meters allow the trend analysis computer 36 to analyze the performance of each wagering game, each gaming location, individual gaming machines 12, groups of gaming machines 12, etc. The player marketing information database 40f indicates, for example, the identities of players, which wagering games are being played, where the wagering games are being played, when the wagering games are being played, and how much or how long the wagering games are being played. This marketing information can, in turn, be used to assess playing habits, offer complimentary, and engage in other types of target marketing. In addition to the various databases 40a-f identified above, the database manager 38 may manage other databases such as a tourism database and a hotel reservations database.

[0049] In one embodiment, the gaming machines 12 only offer the enhanced versions of wagering games, and the enhanced versions are conducted via the gaming machines 12 at the hybrid server/machine level described above. When a gaming machine 12 is initially installed and put into service, the upgraded audiovisual content of one or more wagering games is downloaded to the gaming machine 12 from the central server system 10. The initial selection of downloaded games may be determined, in part, on trends established by the trend analysis computer 36. If it is desirable to subsequently download any new wagering games after the gaming machine 12 has already been put into service, the upgraded audiovisual content of such new games may be downloaded to the gaming machine 12 in the background without disrupting (i.e., taking offline) the operation of the gaming machine 12. The gaming machines 12 may be configured to offer any or all of the wagering games available for play via the computing devices 14. New or special wagering games may be offered only for play via the gaming machines 12 or the computing devices 14. Some of the gaming machines 12 may be dedicated to a single wagering game.

[0050] The system in FIG. 1 should virtually eliminate cash float on casino floors. In the early days of the gaming industry, gaming machines were coin-in/coin-out (CICO). Over time, however, the CICO gaming machines evolved to include imbedded bill validation systems so they became coin and bill-in/coin-out (CBICO). The operational and player conveniences of CBICO gaming machines were so significant that it caused casinos to replace almost all of the equipment on their floors with slot machines so equipped. Both equipment utilization and player satisfaction increased. Due to the

additional validation hardware and software, however, these CBICO gaming machines raised a casino's capital investment and dramatically increased the cash float on the casino floor. The system in FIG. 1 allows for real-time cashless (credit/debit card, smart card, house account, etc.) verification or retrieval of stored financial account information for frequent players. The financial account information for each player may be stored in the player account database 40c. This virtually eliminates cash float. These financial accounts may be common for a player whether the player wagers from a casino-based gaming machine 12 or a non-casino-based computing device 14. This, in turn, builds player loyalty and direct marketing opportunities. The non-currency-enabled gaming machines 12 are constructed to minimize the expensive hardware and software required to validate, store, and dispense currency on the casino floor.

[0051] Cashless transactions are not necessarily a perfect solution. Casinos must tailor their offerings to satisfy the needs of a wide variety of players. While regular players or those with an affinity for a particular casino may establish financial accounts, casual and transient players may not. To capture revenue from all types of players, at least some of the gaming machines 12 preferably are currency-enabled, i.e., constructed to accept coins and bills. These currency-enabled gaming machines 12 are preferably constructed to also handle cashless transactions and dispense coins, bills, tickets, smart cards, and house account cards. Although the currency-enabled gaming machines 12 may contain more hardware and software than a typical CBICO gaming machine, there are preferably only a limited number on the casino floor. In addition to card readers, the currency-enabled gaming machines may contain both coin and bill hoppers, ticket printers, and card dispensers. Coin and bill hoppers accept currency from players and maintain a reserve as available for dispensing. The casino may control the reserve according to the expected payouts, which would vary by time of day and the day of week. Central control from either the workstation 18 or the corporate headquarters 30 allows the casino to control the cash float on the casino floor.

[0052] The currency-enabled gaming machines 12 serve multiple functions including games, automated teller machines (ATMs), cashiers, and automated transaction machines. A transient game player may, for example, move from a currency-enabled gaming machine to a non-currency-enabled gaming machine by cashing out of the currency-enabled machine with a ticket or a house account card. A regular player may, for example, use a currency-enabled gaming machine to cash out into currency or to deposit funds into a house account. The currency-enabled gaming machines minimize transaction labor costs and maximize customer convenience.

[0053] Although the non-currency-enabled gaming machines 12 are smaller than a typical CBICO gaming machine, the currency-enabled gaming machines 12

are slightly larger than a typical CBICO gaming machine. FIG. 2 is a block diagram of a possible casino floor layout. The casino floor layout includes both non-currency-enabled gaming machines 12a and currency-enabled gaming machines 12b arranged in a plurality of banks 42. More specifically, each bank 42 includes at least a pair of currency-enabled gaming machines 12b spaced from each other and a pair of rows of non-currency-enabled gaming machines 12a extending between the pair of currency-enabled gaming machines 12b. The non-currency-enabled gaming machines 12a in one row of a pair of rows are back-to-back with the respective non-currency-enabled gaming machines 12a in the other row. By locating the currency-enabled gaming machines 12b on the opposite ends of each bank 42 and concentrating the non-currency-enabled gaming machines 12a in the middle of each bank 42, a given number of gaming machines 12 requires less space on the casino floor than the same number of typical CBICO gaming machines. This can be seen by comparing FIG. 2 to FIG. 3, which shows a prior art casino floor layout including typical CBICO gaming machines 44 arranged in a plurality of banks 46. The higher density of the gaming machines 12 in FIG. 2 relative to the density of the typical CBICO gaming machines 44 in FIG. 3 maximizes revenue potential from a smaller space on the casino floor. Although the casino floor layout in FIG. 2 is efficient, other layouts for efficiently arranging the non-currency-enabled gaming machines 12a and the currency-enabled gaming machines 12b together in banks are possible.

[0054] Similar wagering games may be conducted via either a casino-based gaming machine 12 or a non-casino-based computing device 14. By integrating the player's casino gaming experience with the player's non-casino interactive gaming experience, it is believed that casinos can strengthen their relationship with players and effectively cross train casino-based players and non-casino-based players. Casino-based players can become familiar with the ability to gamble outside of the casino (e.g., at home, in a hotel, or while traveling) and non-casino-based players can increase the experiential nature of the casino's brand image.

[0055] Utilizing a web-based, intranet/Internet system provides a means to fully integrate a casino's operations. As such a system evolves, information from a casino's reservation system may be used to optimize a casino floor to guests of the casino's hotel. For example, if a florist convention is at the casino, demographically appropriate game themes may be displayed on idle gaming machines 12 in the casino. Similarly, as a boxing match or magic show let out, idle gaming machines 12 in close proximity to the events may be instantly reconfigured to display appropriate game themes. Real-time data on the effectiveness of these marketing efforts can be analyzed, and the system can adjust itself to maximize the casino's earnings.

[0056] By utilizing a web-based intranet to operate

within the confines of a given casino, a casino can track all financial and marketing information from its casino floors from the corporate headquarters 30 in real time. The casino can gather valuable marketing information and use such information to build stronger relationships with its customers. By opening the bridge from this intranet to the Internet, the casino can operate one system for their casino operations on land and in cyberspace. Linking the Internet with the casino floor provides new revenue streams and maximizes brand leverage.

[0057] While the present invention has been described with reference to one or more particular embodiments, those skilled in the art will recognize that many changes may be made thereto without departing from the spirit and scope of the present invention. Each of these embodiments and obvious variations thereof is contemplated as falling within the spirit and scope of the claimed invention, which is set forth in the following claims:

Claims

1. A method of using a casino-based, player-operated gaming machine, comprising:
 - accessing a web-based central server system from the gaming machine in a land-based casino, the gaming machine being linked to the central server system by a reconfigurable, multi-site computer network; and
 - conducting, via the gaming machine, a wagering game on the computer network by receiving a wager from a player, generating a random event, and providing an award to the player for a winning outcome of the random event.
2. The method of claim 1, wherein the wagering game is selected from a group consisting of slots, poker, bingo, keno, and blackjack.
3. The method of claim 1, wherein the computer network includes an intranet.
4. The method of claim 1, wherein the wagering game includes audiovisual content and game software for generating the random event.
5. The method of claim 4, wherein the step of conducting the wagering game includes executing the audiovisual content and the game software at the central server system.
6. The method of claim 4, further including downloading the audiovisual content from the central server system to the gaming machine, and wherein the step of conducting the wagering game includes executing the audiovisual content at the gaming machine.

chine and executing the game software at the central server system.

7. The method of claim 4, further including downloading the audiovisual content and the game software from the central server system to the gaming machine, and wherein the step of conducting the wagering game includes executing the audiovisual content and the game software at the gaming machine.
8. The method of claim 1, wherein the step of accessing the central server system includes accessing a web site operated by the central server system.
9. The method of claim 1, wherein the wagering game includes audiovisual content and game software for generating the random event, and wherein the gaming machine is free of a game engine for executing the game software.
10. A method of integrating casino gaming with non-casino interactive gaming, comprising:
 - offering a plurality of wagering games on a central server system;
 - conducting one of the wagering games via a player-operated gaming machine in a land-based casino, the gaming machine being linked to the central server system by a reconfigurable computer network; and
 - conducting the same or another of the wagering games via a player-operated computing device remote from any casino and linked to the central server system.
11. The method of claim 10, wherein the conducting steps each include receiving a wager from a player, generating a random event, and providing an award to the player for a winning outcome of the random event.
12. The method of claim 10, wherein the plurality of wagering games are selected from a group consisting of slots, poker, bingo, keno, and blackjack.
13. The method of claim 10, wherein the computer network includes an intranet.
14. The method of claim 13, wherein the computing device is linked to the central server system by the Internet.
15. The method of claim 14, further including enabling the computing device to be linked to the central server system by the Internet using a security key.
16. The method of claim 10, wherein the plurality of wa-

gering games each include audiovisual content and game software for generating a random event.

17. The method of claim 16, wherein the step of conducting the one of the wagering games via a player-operated gaming machine includes executing the audiovisual content and the game software at the central server system.
18. The method of claim 16, further including downloading the audiovisual content from the central server system to the gaming machine, and wherein the step of conducting the one of the wagering games via a player-operated gaming machine includes executing the audiovisual content at the gaming machine and executing the game software at the central server system.
19. The method of claim 16, further including downloading the audiovisual content and the game software from the central server system to the gaming machine, and wherein the step of conducting the one of the wagering games via a player-operated gaming machine includes executing the audiovisual content and the game software at the gaming machine.
20. The method of claim 16, wherein the step of conducting the same or another of the wagering games via a player-operated computing device includes executing the audiovisual content and the game software at the central server system.
21. The method of claim 16, further including downloading the audiovisual content from the central server system to the computing device, and wherein the step of conducting the same or another of the wagering games via a player-operated computing device includes executing the audiovisual content at the computing device and executing the game software at the central server system.
22. The method of claim 10, wherein the step of offering a plurality of wagering games on a central server system includes posting the wagering games on a web site operated by the central server system.
23. The method of claim 10, wherein the wagering games include audiovisual content and game software for generating a random event, and wherein the gaming machine is free of a game engine for executing the game software.
24. The method of claim 10, wherein at least one of the wagering games includes a basic version.
25. The method of claim 24, wherein the step of conducting one of the wagering games via a player-op-

erated gaming machine includes playing the basic version over the computer network using JavaScript or other language.

26. The method of claim 24, wherein the step of conducting the same or another of the wagering games via a player-operated computing device includes playing the basic version using JavaScript or other language.

27. The method of claim 10, wherein at least one of the wagering games includes an enhanced version having upgraded audiovisual content.

28. The method of claim 27, further including downloading the upgraded audiovisual content from the central server system to the computing device and storing the audiovisual content locally on the computing device.

29. The method of claim 27, further including downloading the upgraded audiovisual content from the central server system to the gaming machine and storing the audiovisual content locally on the gaming machine.

30. The method of claim 10, wherein at least one of the wagering games includes a basic version and an enhanced version, the enhanced version having upgraded audiovisual content relative to the basic version,

wherein when the basic version is conducted via one of the computing device and the gaming machine, the basic version is played using JavaScript or other language, and

wherein when the enhanced version is conducted via one of the computing device and the gaming machine, the upgraded audiovisual content is downloaded to and stored locally on the one of the computing device and the gaming machine.

31. A web-based system for integrating casino gaming with non-casino interactive gaming, comprising:

a central server system offering a plurality of wagering games;

a plurality of player-operating gaming machines located in a land-based casino and linked to the central server system by a reconfigurable computer network, the gaming machines being used to conduct one of the wagering games; and

a player-operated computing device remote from any land-based casino and linked to the central server system, the computing device being used to conduct the same or another of the wagering games.

32. The system of claim 31, wherein the plurality of wagering games are selected from a group consisting of slots, poker, bingo, keno, and blackjack.

33. The system of claim 31, wherein the computer network includes an intranet.

34. The system of claim 33, wherein the computing device is linked to the central server system by the Internet.

35. The system of claim 34, wherein the computing device includes a security key enabling the computing device to be linked to the central server system by the Internet.

36. The system of claim 31, wherein the plurality of wagering games each include audiovisual content and game software for generating a random event.

37. The system of claim 36, wherein the central server system executes the audiovisual content and the game software when the gaming machines are used to conduct the one of the wagering games.

38. The system of claim 36, wherein the central server system executes the game software, and wherein the gaming machines receive the audiovisual content from the central server system and store the audiovisual content locally.

39. The system of claim 36, wherein the gaming machines receive the audiovisual content and the game software from the central server system, store the audiovisual content and the game software locally, and execute the game software.


40. The system of claim 36, wherein the central server system executes the audiovisual content and the game software when the computing device is used to conduct the same or another of the wagering games.

41. The system of claim 36, wherein the central server system executes the game software, and wherein the computing device receives the audiovisual content from the central server system and stores the audiovisual content locally.

42. The system of claim 31, wherein the central server system operates a web site posting the plurality of wagering games.

43. The system of claim 31, wherein the wagering game includes audiovisual content and game software for generating a random event, and wherein the gaming machines are free of a game engine for executing the game software.

44. The system of claim 31, wherein at least one of the wagering games includes a basic version.
45. The system of claim 44, wherein the computing device plays the basic version using JavaScript or other language.
46. The system of claim 44, wherein the gaming machines play the basic version over the computer network using JavaScript or other language.
47. The system of claim 31, wherein at least one of the wagering games includes an enhanced version having upgraded audiovisual content.
48. The system of claim 47, wherein the computing device receives the upgraded audiovisual content from the central server system and stores the upgraded audiovisual content locally.
49. The system of claim 47, wherein the gaming machines receive the upgraded audiovisual content from the central server system and store the upgraded audiovisual content locally.
50. The system of claim 31, wherein at least one of the wagering games includes a basic version and an enhanced version, the enhanced version having upgraded audiovisual content relative to the basic version,
 wherein when the gaming machines or the computing device is used to conduct the basic version, the basic version is played using JavaScript or other language, and
 wherein when the gaming machines or the computing device is used to conduct the enhanced version, the upgraded audiovisual content is downloaded to and stored locally on the gaming machines or the computing device.
51. The system of claim 31, wherein the plurality of games are affiliated with a common entity.
52. A casino-based gaming machine located in a land-based casino, comprising:
 interface circuitry for linking the gaming machine to a web-based central server system over a reconfigurable, multi-site computer network;
 processing circuitry for accessing a wagering game on the central server system; and
 a user interface for receiving inputs from a player for playing the wagering game.
53. The machine of claim 52, wherein the wagering game is selected from a group consisting of slots, poker, bingo, keno, and blackjack.
54. The machine of claim 52, wherein the wagering game including audiovisual content and game software.
55. The gaming machine of claim 54, wherein the gaming machine is free of a game engine for executing the game software such that the game software is executed by the central server system.
56. The machine of claim 54, wherein the processing circuitry receives the audiovisual content from the central server system and stores the audiovisual content locally on the gaming machine.
57. The machine of claim 52, further including a cabinet and a display mounted to the cabinet, the display being adapted to display the wagering game, the user interface being mounted to the cabinet.
58. The machine of claim 52, wherein the processing circuitry is adapted to play the wagering game over the computer network using JavaScript or other language.
59. A bank of gaming machines on a casino floor, comprising a currency-enabled gaming machine and a non-currency-enabled gaming machine coupled to a central server system by a reconfigurable computer network.
60. The bank of claim 59, wherein the non-currency-enabled gaming machine is part of a row of non-currency-enabled gaming machines, and further including a second currency-enabled gaming machine spaced from the currency-enabled gaming machine, the second currency-enabled gaming machine and the row of non-currency-enabled gaming machines being coupled to the central server system by the computer network, the row of non-currency-enabled gaming machines extending between the currency-enabled gaming machines.
61. The bank of claim 60, further including another row of non-currency-enabled gaming machines extending between the currency-enabled gaming machines and coupled to the central server system by the computer network, the non-currency-enabled gaming machines in the another row being back-to-back with the respective non-currency-enabled gaming machines in the row.
62. The method of claim 1, wherein the computer network supports TCP/IP protocols for transmission of data thereon.
63. The method of claim 10, wherein the computer network supports TCP/IP protocols for transmission of data thereon.



64. The system of claim 31, wherein the computer network supports TCP/IP protocols for transmission of data thereon.
65. The machine of claim 52, wherein the machine communicates with the computer network using TCP/IP protocols

10

15

20

25

30

35

40

45

50

55




FIG. 2




FIG. 3

THIS PAGE BLANK (USPTO)

(19)



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 1 343 125 A3

(12)

EUROPEAN PATENT APPLICATION

(88) Date of publication A3:
22.12.2004 Bulletin 2004/52

(51) Int Cl.7: G07F 17/32

(43) Date of publication A2:
10.09.2003 Bulletin 2003/37

(21) Application number: 03290528.3

(22) Date of filing: 05.03.2003

(84) Designated Contracting States:
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR
HU IE IT LI LU MC NL PT RO SE SI SK TR
Designated Extension States:
AL LT LV MK RO

(72) Inventor: Rothchild, Wayne H.
Northbrook, Illinois 60062 (US)

(74) Representative: Loisel, Bertrand
Cabinet Plasseraud
65/67 rue de la Victoire
75440 Paris Cedex 09 (FR)


(30) Priority: 06.03.2002 US 92072

(71) Applicant: WMS Gaming Inc
Waukegan, Illinois 60085 (US)

(54) Integration of casino gaming and non-casino interactive gaming

(57) A web-based system for integrating casino gaming with non-casino interactive gaming comprises a central server system, a plurality of player-operated gaming machines, and a player-operating computing device. The central server system offers a plurality of wagering games. The gaming machines are located in a land-based casino and linked to the central server system by a reconfigurable, multi-site computer network such as an intranet. The computing device is remote

from any land-based casino and linked to the central server system by the Internet. The wagering games may be conducted via either the gaming machines or the computing device. In one embodiment, each wagering game is offered in two distinct versions: basic and enhanced. The basic version is played over the network using JavaScript or other language. The enhanced version includes upgraded audiovisual content that is downloaded to and stored locally on the machine or computing device used to conduct the wagering game.





European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 03 29 0528

| DOCUMENTS CONSIDERED TO BE RELEVANT | | | |
|--|---|--|---|
| Category | Citation of document with indication, where appropriate, of relevant passages | Relevant to claim | CLASSIFICATION OF THE APPLICATION (InCL.7) |
| X | US 5 762 552 A (VUONG SON THANH ET AL) 9 June 1998 (1998-06-09) * column 3, line 42 - column 4, line 5 * * column 4, line 63 - column 5, line 23 * * column 6, line 29 - column 8, line 51 * * figures 1-3 * | 1-65 | G07F17/32 |
| X | WO 01/91866 A (HARKHAM GABI) 6 December 2001 (2001-12-06) * page 4, line 12 - page 5, line 26 * * page 14, lines 3-15 * * figures 1,2 * | 1-65 | |
| X | US 6 080 062 A (OLSON CARL M) 27 June 2000 (2000-06-27) * column 2, lines 12-24 * * column 4, line 7 - column 5, line 38 * * figures 1-4 * | 1-65 | |
| X | US 6 183 362 B1 (BOUSHY JOHN MICHAEL) 6 February 2001 (2001-02-06) * column 4, line 25 - column 6, line 55 * * column 8, lines 18-64 * * figures 1-3 * | 1-65 | TECHNICAL FIELDS SEARCHED (InCL.7) G07F |
| The present search report has been drawn up for all claims | | | |
| Place of search The Hague | | Date of completion of the search 29 October 2004 | Examiner Espuela, V |
| CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document | | T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document | |

EPO FORM 1503 (01/02) (P/AC/01)

ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.

EP 03 29 0528

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

29-10-2004

| Patent document cited in search report | | Publication date | Patent family member(s) | Publication date |
|---|----|---------------------|----------------------------|---------------------|
| US 5762552 | A | 09-06-1998 | NONE | |
| WO 0191866 | A | 06-12-2001 | AU 7500001 A | 11-12-2001 |
| | | | WO 0191866 A1 | 06-12-2001 |
| | | | US 2002094869 A1 | 18-07-2002 |
| US 6080062 | A | 27-06-2000 | AU 3071597 A | 14-01-1998 |
| | | | WO 9749470 A1 | 31-12-1997 |
| | | | US 2003190959 A1 | 09-10-2003 |
| | | | US 6554710 B1 | 29-04-2003 |
| US 6183362 | B1 | 06-02-2001 | US 5761647 A | 02-06-1998 |
| | | | US 2002142841 A1 | 03-10-2002 |
| | | | US 2004158536 A1 | 12-08-2004 |
| | | | AU 722615 B2 | 10-08-2000 |
| | | | AU 3304697 A | 09-12-1997 |
| | | | CN 1226982 A | 25-08-1999 |
| | | | EP 0900425 A1 | 10-03-1999 |
| | | | NZ 332969 A | 30-08-1999 |
| | | | US 6003013 A | 14-12-1999 |
| | | | WO 9744750 A1 | 27-11-1997 |

EPO-DPM-H459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

THIS PAGE BLANK (USPTO)

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☒ **BLACK BORDERS**

☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**

☐ **FADED TEXT OR DRAWING**

☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**

☐ **SKEWED/SLANTED IMAGES**

☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**

☐ **GRAY SCALE DOCUMENTS**

☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**

☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**

☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

THIS PAGE BLANK (USPTO)